

Rushabh Dev

PIPES (P) LTD.

Authorised Dealers & Stockist



M.S.L.

Maharashtra Seamless Ltd.



Jindal Pipes Ltd.



ZOLOTO VALVES INDUSTRIES



About Us:

RUSHABHDEV PIPES PVT. LTD. is a leading provider of a wide range of piping solutions, including CS Seamless Pipes, MS & GI ERW Pipes, SS Seamless and ERW Pipes, and Pipe Fittings. With over 20 years of industry experience, we have established a strong reputation for delivering exceptional products and services.

As authorized dealers of **JINDAL PIPES LTD.**, **MAHARASHTRA SEAMLESS LTD.**, and **ZOLOTO VALVES LTD.**, we offer a comprehensive range of high-quality products to meet the diverse needs of our customers. Our commitment to quality, reliability, and customer satisfaction has made us a trusted partner in the industry.

BEST PERFORMANCE AWARD BY JINDAL



Certificates



SEAMLESS PIPES

ASTM A 106, API 5L GR B, TP 304 , TP 316

Nominal Bore		Outside Diameter	Sch-5		Sch-10		Sch-40		Sch-80		Sch-160		Sch-XXS	
MM	INCH	MM	WT	Weight	WT	Weight	WT	Weight	WT	Weight	WT	Weight	WT	Weight
			MM	KG/MTR	MM	KG/MTR	MM	KG/MTR	MM	KG/MTR	MM	KG/MTR	MM	KG/MTR
3	1/8"	10.30	1.24	0.28	1.24	0.28	1.73	0.37	2.41	0.47	-	-	-	-
6	1/4"	13.70	1.24	0.39	1.65	0.49	2.24	0.63	3.02	0.80	-	-	-	-
10	3/8"	17.10	1.24	0.49	1.65	0.63	2.31	0.85	3.20	1.10	-	-	-	-
15	1/2"	21.30	1.65	0.80	2.11	1.00	2.77	1.27	3.75	1.62	4.75	1.94	7.47	2.55
20	3/4"	26.70	1.65	1.03	2.11	1.28	2.87	1.68	3.91	2.20	5.54	2.89	7.82	3.63
25	1"	33.40	1.65	1.30	2.77	2.09	3.38	2.50	4.55	3.24	6.35	4.24	9.09	5.45
32	1.25"	42.20	1.65	1.65	2.77	2.70	3.56	3.38	4.85	4.47	6.35	5.61	9.70	7.77
40	1.50"	48.30	1.65	1.91	2.77	3.11	3.68	4.05	5.08	5.41	7.14	7.25	10.16	9.54
50	2"	60.30	1.65	2.40	2.77	3.93	3.91	5.44	5.54	7.48	8.74	11.10	11.07	13.44
65	2.5"	73.00	2.11	3.69	3.05	5.26	5.16	8.63	7.01	11.40	9.53	14.90	14.20	20.39
80	3"	88.90	2.11	4.51	3.05	6.45	5.49	11.30	7.62	15.20	11.10	21.30	15.24	27.65
100	4"	114.30	2.11	5.84	3.05	8.36	6.02	16.07	8.56	22.30	13.49	33.54	17.12	41.03
125	5"	141.30	2.77	9.47	3.40	11.57	6.55	21.80	9.53	31.97	15.88	49.11	19.05	57.43
150	6"	168.30	2.77	11.32	3.40	13.84	7.11	28.30	10.97	42.70	18.20	67.56	21.95	79.22
200	8"	219.10	2.77	14.79	3.76	19.96	8.18	42.60	12.70	64.60	23.00	111.20	22.23	107.80
250	10"	273.10	3.40	22.63	4.19	27.78	9.27	60.50	12.70	96.00	28.60	172.40	25.40	155.15
300	12"	323.90	3.96	31.25	4.57	36.00	9.52	73.88	12.70	132.00	33.32	238.76	25.40	186.97
350	14"	355.60	3.96	34.36	4.78	41.30	11.13	94.59	19.05	158.08	35.71	281.70	-	-
400	16"	406.40	4.19	41.56	4.78	47.29	12.70	123.30	21.41	203.33	40.46	365.11	-	-
450	18"	457.20	4.19	46.80	4.78	53.42	14.27	155.80	23.80	254.36	45.71	466.40	-	-
500	20"	508.00	4.78	59.25	5.54	68.71	15.09	183.42	26.19	311.20	49.99	564.68	-	-
600	24"	609.60	5.54	82.47	6.35	94.45	17.48	255.41	30.96	442.08	59.54	808.22	-	-

BLACK & GALVANIZED STEEL TUBES CONFORMING TO ISI IS:1239(i) EQUIVALENT TO BS:1387 &

Minimal Bore (mm)	Class or Category	Outside Diameter (mm)		Thickness (mm)	Nominal Mass of Tube Black & Galvanised		
		Max	Min		Plain End Kg/m	Screwed & Socketed	Plain End Metre/Ton
15	A = Light	21.4	21	2	0.947	0.956	1100
	B = Medium	21.8	21	2.6	1.21	1.22	890
	C = Heavy	21.8	21	3.2	1.44	1.45	750
20	A = Light	26.9	26.4	2.3	1.38	1.39	800
	B = Medium	27.3	26.5	2.6	1.56	1.57	690
	C = Heavy	27.3	26.5	3.2	1.87	1.88	570
25	A = Light	33.8	33.2	2.6	1.98	2	550
	B = Medium	34.2	33.3	3.2	2.41	2.43	450
	C = Heavy	34.2	33.3	4	2.93	2.95	370
32	A = Light	42.5	41.9	2.6	2.54	2.57	430
	B = Medium	42.9	42	3.2	3.1	3.13	340
	C = Heavy	42.9	42	4	3.79	3.82	282
40	A = Light	48.4	47.8	2.9	3.23	3.27	315
	B = Medium	48.8	47.9	3.2	3.56	3.6	300
	C = Heavy	48.8	47.9	4	4.37	4.41	245
50	A = Light	60.2	59.6	2.9	4.08	4.15	255
	B = Medium	60.8	59.7	3.6	5.03	5.1	215
	C = Heavy	60.8	59.7	4.5	6.19	6.26	175
65	A = Light	76	75.2	3.2	5.71	5.83	185
	B = Medium	76.6	75.3	3.6	6.42	6.54	162
	C = Heavy	76.6	75.3	4.5	7.93	8.05	135
80	A = Light	88.7	87.9	3.2	6.72	6.89	160
	B = Medium	89.5	88	4	8.36	8.53	127
	C = Heavy	89.5	88	4.8	9.9	10.1	110
100	A = Light	113.9	113	3.6	9.75	10	100
	B = Medium	115	113.1	4.5	12.2	12.5	90
	C = Heavy	115	113.1	5.4	14.5	14.8	76
125	B = Medium	140.8	138.5	4.8	15.9	16.4	68
	C = Heavy	140.8	138.5	5.4	17.9	18.4	61
150	B = Medium	166.5	163.9	4.8	18.9	19.5	58
	C = Heavy	166.5	163.9	5.4	21.3	21.9	51

ERW PIPES FOR WATER & SEWAGE CONFORMING TO IS:3589 WATER WELL CASING CONFORMING TO IS :4270

SIZE		CONVENTIONAL MASS PER UNIT LENGTH (Kg/m)							
NB	OD	WALL THICKNESS (mm)							
mm	mm	5.00	5.40	6.00	6.35	7.10	8.00	9.50	10.00
200	219.10	26.40	28.46	31.53	33.31	37.12	41.65	49.10	51.56
250	273.10	33.06	35.65	39.52	41.77	46.57	52.30	61.75	64.88
300	323.90	39.32	42.41	47.04	49.73	55.47	62.32	73.65	77.41
350	355.60	43.23	46.63	51.73	54.69	61.02	68.57	81.08	85.22

TECHNICAL SPECIFICATION OF FLANGES

FLANGES E TABLE

PIPE SIZE		OD IN MM	ID IN MM	PCD IN MM	Thick IN MM	Dia. Of BOLT	No. of BOLT
1/2"	15	95.25	22.40	66.68	6.35	14	4
3/4"	20	101.60	27.70	73.03	6.35	14	4
1"	25	114.30	34.50	82.55	7.14	14	4
1 1/4"	32	120.65	43.20	87.29	7.94	14	4
1 1/2"	40	133.35	49.50	98.43	8.73	14	4
2"	50	152.40	62.00	114.30	9.53	18	4
2 1/2"	65	165.10	74.70	127.00	10.32	18	4
3"	80	184.15	90.70	146.05	11.11	18	4
4"	100	215.90	116.10	177.80	12.70	18	8
5"	125	254.00	143.80	209.55	14.26	18	8
6"	150	279.40	170.70	234.95	17.46	22	8
8"	200	336.55	221.50	192.10	19.05	22	12
10"	250	406.40	276.40	355.60	22.23	22	12
12"	300	457.20	327.20	406.40	25.40	25	12

FLANGES F TABLE

PIPE SIZE		OD IN MM	ID IN MM	PCD IN MM	Thick IN MM	Dia. Of BOLT	No. of BOLT
1/2"	15	95.30	22.40	66.70	9.50	14	4
3/4"	20	101.60	27.70	73.00	9.50	14	4
1"	25	120.70	34.50	87.30	9.50	18	4
1 1/4"	32	133.40	43.20	98.40	12.70	18	4
1 1/2"	40	139.70	49.50	104.80	12.70	18	4
2"	50	165.10	62.00	127.00	15.90	18	4
2 1/2"	65	184.20	74.70	146.10	15.90	18	8
3"	80	203.00	91.00	165.00	15.90	18	8
4"	100	228.60	116.10	190.50	19.10	18	8
5"	125	279.40	143.80	235.00	22.20	22	8
6"	150	304.80	170.70	260.40	22.20	22	12
8"	200	368.30	221.50	323.90	25.40	22	12
10"	250	431.80	276.40	381.00	25.40	25	12
12"	300	489.00	327.20	438.20	28.60	25	16

FLANGES H TABLE

PIPE SIZE		OD IN MM	ID IN MM	PCD IN MM	Thick IN MM	Dia. Of BOLT	No. of BOLT
1/2"	15	114.30	22.40	82.55	12.70	14	4
3/4"	20	114.30	27.70	82.69	12.70	14	4
1"	25	120.65	34.50	87.31	14.29	14	4
1 1/4"	32	133.35	43.20	98.43	17.46	14	4
1 1/2"	40	139.70	49.50	104.78	17.46	14	4
2"	50	165.10	62.00	127.00	19.05	18	4
2 1/2"	65	184.15	74.70	146.05	19.05	18	8
3"	80	203.20	90.70	165.10	22.23	18	8
4"	100	228.60	116.10	190.50	25.40	18	8
5"	125	279.40	143.80	234.95	28.58	22	8
6"	150	304.80	170.70	260.35	28.58	22	12
8"	200	368.30	221.50	323.85	31.75	22	12
10"	250	431.80	276.40	381.00	34.93	25	12
12"	300	488.95	327.20	438.15	41.28	25	16

FLANGES ND 40 TABLE

PIPE SIZE		OD IN MM	ID IN MM	PCD IN MM	Thick IN MM	Dia. Of BOLT	No. of BOLT
1/2"	15	95	22.4	65	16	14	4
3/4"	20	105	27.7	75	18	14	4
1"	25	115	34.5	85	18	14	4
1 1/4"	32	140	43.2	100	18	18	4
1 1/2"	40	150	49.5	110	20	18	4
2"	50	165	62	125	20	18	4
2 1/2"	65	185	74.7	145	22	18	8
3"	80	200	90.7	160	24	18	8
4"	100	235	116.1	190	26	22	8
5"	125	270	143.8	220	28	26	8
6"	150	300	170.7	250	30	26	8
8"	200	375	221.5	320	34	30	12
10"	250	450	276.4	385	42	33	12
12"	300	515	327.2	450	50	33	16

FLANGES ASA 150#

PIPE SIZE	OD IN MM	ID IN MM	RF	PCD IN MM	Thick IN MM	Dia. Of BOLT	No. of BOLT
1/2"	88.9	22.40	35.10	60.50	11.20	15.70	4
3/4"	98.6	27.70	42.90	69.90	12.70	15.70	4
1"	108	34.50	50.80	79.20	14.20	15.70	4
1 1/4"	117.3	43.20	63.50	88.90	15.70	15.70	4
1 1/2"	127	49.50	73.20	98.60	17.50	15.70	4
2"	152.4	62.00	92.20	120.70	19.10	19.10	4
2 1/2"	177.8	74.70	104.90	139.70	22.40	19.10	4
3"	190.5	90.70	127.00	152.40	23.90	19.10	4
4"	228.6	116.10	157.20	190.50	23.90	19.10	8
5"	254	143.80	185.70	215.90	23.90	22.40	8
6"	279.4	170.70	215.90	241.30	25.40	22.40	8
8"	342.9	221.50	270.00	298.50	28.40	22.40	8
10"	406.4	276.40	323.9	362.00	30.20	25.40	12
12"	482.6	327.20	381.00	431.80	31.80	25.40	12
14"	533.4	359.20	412.80	476.30	35.10	28.40	12
16"	596.9	410.50	469.90	539.80	36.60	28.40	16
18"	635	461.80	533.40	577.90	39.60	31.80	16
20"	698.5	513.10	584.20	635.00	42.90	31.80	20
24"	812.8	616.00	692.20	749.30	47.80	35.10	20

FLANGES ASA 300#

PIPE SIZE	OD IN MM	ID IN MM	RF	PCD IN MM	Thick IN MM	Dia. Of BOLT	No. of BOLT
1/2"	95	22.40	35.10	66.50	14.30	16	4
3/4"	117	27.70	42.90	82.50	15.90	19	4
1"	124	34.50	50.80	89.00	17.50	19	4
1 1/4"	133	43.20	63.50	98.50	19.10	19	4
1 1/2"	156	49.50	73.20	114.50	20.70	22	4
2"	165	62.00	92.20	127.00	22.30	22	8
2 1/2"	190	74.70	104.90	149.00	25.40	22	8
3"	210	90.70	127.00	168.00	28.60	22	8
4"	254	116.10	157.20	200.00	31.80	22	8
5"	279	143.80	185.40	235.00	35.00	22	8
6"	318	170.70	215.90	270.00	36.60	22	12
8"	381	221.50	270.00	330.00	41.30	25	12
10"	444	276.40	323.90	387.50	47.70	29	16
12"	521	327.20	381.00	451.00	50.80	32	16
14"	584	359.20	412.80	514.50	54.00	32	20
16"	648	410.50	469.90	571.50	57.20	35	20
18"	711	461.80	533.40	628.50	60.40	35	24
20"	775	513.10	584.20	686.00	63.50	35	24
24"	914	616.00	692.20	813.00	69.90	41	24

Rushabh Dev

PIPES (P) LTD.

Authorised Dealers & Stockist



M.S.L.
Maharashtra Seamless Ltd.



Jindal Pipes Ltd.



ZOLOTO VALVES INDUSTRIES



Rakesh Vora

9824460851

(Director)

Vimal Vora

9327960551

(Director)

Gautam Vora

9824960851

(Director)



9824160551, 9824442851, 0260-2420851



rushabhdevpipes@gmail.com



H.O.: Plot No. 57/I-2, Opp. Khemka Glass Ind., Near Best Paper Mills, 1st Phase, GIDC, Vapi - 396195, Gujarat, India



Branch Office: Shop No. 17, Vedanta Trade Center, Opp. Yash Hospital, Valiya Chokdi, Ankleshwar - 393002, Gujarat, Raju Purohit: 9638760851